

FACILITIES SERVICES 1631 LAFRANCE STREET ATLANTA, GEORGIA 30307

JERE J. SMITH III, AIA DIRECTOR OF CAPITAL IMPROVEMENTS (404) 802-3736 FAX (404) 802-3897 jersmith@atlanta.k12.ga.us

BULLETIN TO DESIGN AND CONSTRUCTION PROFESSIONALS

Date: February 24, 2020

Bulletin: 0002 – 2020

Division: 28 13 00 – Access Control Systems

Re: APS Design Guidelines and Standard Specifications Update

Item 1: This is a clarification, change or addition to the existing Atlanta Public

Schools (APS) Design Guidelines and Standard Specifications dated

December 1, 2010 and any previous Bulletins.

Item 2: This set of requirements and specifications should be implemented

IMMEDIATELY on all projects that are in the "Construction Document" phase of the project delivery process. On projects where the "Construction" has begun, these requirements and specifications should be implemented IMMEDIATELY, WHERE PRACTICAL as to not adversely impact the

schedule, budget or overall delivery of the project.

Item 3: The existing APS Design Guidelines, Division 28 13 00 Access Control

Systems should be updated as indicated by the attached information concerning Access Control Doors and Non Access Control Doors to be

used for all APS Facilities.

Jere J. Smith III, AIA

Director of Capital Improvements

Updated Access Control Bulletin 08/23/2019

Access Control Doors

- All doors in series with an access control door must have a recessed door contact installed.

Non Access Control Doors

- All exterior doors must have a recessed door contact installed
- All exterior doors must have a piezo sounder installed
- All door contacts must be landed on an input on the Lenel 1320 board
- All door contacts must be landed on an output on the Lenel 1320 board
- For doors in same location (ex. Front entrance with 4 doors), the contacts can be connected together and landed on one input.

Approval of Updated Specifications

Ralph Velez

David Resmondo